



CERTIFICATE OF ANALYSIS

Product Name	SALICYLIC ACID BP		
Batch No.	008/ SA/0218	A.R. No.	18SA0277
Mfg. Date	FEB, 2018	Total Batch Qty.	1000 KGS
Exp. Date	JAN, 2023	Dispatch Qty.	1000 KGS

TEST	SPECIFICATIONS	RESULTS
Description	White or colourless acicular crystals or white crystalline powder	Complies
Identification	A-Melting range - 158 – 161°C	159.6°C
	B-Infrared absorption spectrum	Complies
	C-To comply	Complies
Appearance of solution	Clear and colourless solution	Complies
Heavy metals	20 ppm max.	< 20 ppm
Chlorides	Not more than 125ppm	Complies
Sulphates	Not more than 200ppm	Complies
Sulphated ash	Not more than 0.1%	0.02%
Loss on drying	Not more than 0.5%	0.13%
Assay	99.0% to 100.5%	99.6%

Remarks: The above batch complies with the prescribed standards of quality as per BP Standard

The Soap Kitchen
Unit 8 Caddsdwn Industrial Park, Clovelly Road, Bideford,
Devon EX39 3DX
Tel: 01237 420872 (+44 (0)1237 420872)
Email: it@thesoapkitchen.co.uk