



The Soap Kitchen (2011) Ltd
Unit 8, Caddsdawn Industrial Park, Clovelly Road,
Bideford, Devon, EX39 3DX, United Kingdom

Email: enquiries@thesoapkitchen.co.uk
Call: +44 (0) 1237 420 872

CERTIFICATE OF ANALYSIS

Despatch No. 23545 / 1

Your Order No

Date despatched 19 August 2020

Your code

Product name

WATERMELON FLAVOUR (DEV-50289)

Our code

TF018979A 1x3 PK005

Batch	Units	Q/C	Best before	DoM
19558	1	Passed	17/05/2021	17/08/2020

Physical

Organoleptic
Refractive Index
Visual
Specific Gravity
Sieve Mesh 1mm

Results

Pass
1.4338
Pass
1.0329
100% Pass

Our Specification

Passes against standard
1.424-1.444
1.024-1.044
100% passes

Compliant to: Commission Regulation (EU) 1334/2008

Certificate issued 19/08/2020

Legal Notice

The information given in this publication is based on our current knowledge and experience, and may be used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations, and observe all third party rights.

Microbiology results supplied are based upon our procedure code PPR 015 which is available upon request. This means that according to the designated level of risk, this batch may have been tested by our accredited Third Party lab, or the results may be based upon calculation and previous random sampling results.

Heavy Metals are tested by the company on a monitoring basis only unless expressly stated.

Shelf life dates given by Plant-ex are recommended according to studies carried out by the company over time, however they are not a warranty against natural degradation which may occur, particularly with Natural materials. Product strengths will be as stated at the time of delivery, thereafter it is the duty of the customer to store the material appropriately and use the material in a timely manner to avoid any loss in strength.