



The Soap Kitchen
Unit 8 Caddsdwn Industrial Park, Clovelly Road,
Bideford, Devon, EX39 3DX
Tel: 01237 420872 (+44 (0)1237 420872)
Email: info@thesoapkitchen.co.uk

MATERIAL SAFETY DATA SHEET

VERBENA 91

Page 1(5)

Date: 16 May 2005

MSDS Revision: 02

Date created: 12/07/02

1. Identification of the substance/preparation and company

Product name : VERBENA 91
Company name : The Soap Kitchen

2. Composition/information on ingredients

Chemical identification: Fragrance composition: multicomponent mixture of natural and

synthetic aromatic materials.

CAS number : Not applicable, product is a mixture.

EINECS number : Not applicable, product is a mixture.

Contains Conc%	CAS/EINECS	Hazard Symbols
ALLYL AMYL GLYCOLATE (ISO AMYLIX) (PENTYR 1-5	67634-00-8	Xn; R 22-38
Amyl Salicylate-N 5-25	ATE) /266-803-5 2050-08-0	N; R 51/53
CITRAL 5-25	/218-080-2 5392-40-5	Xi; R 38-43
(L) Citronellol 1-5	/226-394-6 106-22-9	Xi-N; R 38-43-51/53
MUSK XYLOL 5-25	/203-375-0 81-15-2	N; R 2-51/53
(L) ORANGE TERPENES 5-25	/201-329-4 5989-27-5	Xi-N; R 10-38-50/53-65
TERPINEOL 1-5	/232-433-8 98-55-5	Xi; R 36/38
TERPINOLENE RECT 1-5	/202-680-6 586-62-9	Xn-N; R 10-51/53-65
	/209-578-0	

Ingredients with an Occupational Exposure Limit

DEP-PALATINOL A CAS:84-66-2 EINECS:- (>10%)

3. Hazards identification

General : When undiluted and not properly handled, can be irritating to the skin and eyes and upon inhalation.

Hazard symbol	Combustible material that can sustain a fire. : Xn, Harmful.
Risk phrases	: N, Dangerous for the environment. : R38, Irritating to the skin. : R43, May cause sensitisation by skin contact. : R65, Harmful: May cause lung damage if swallowed.

MATERIAL SAFETY DATA SHEET

VERBENA 91
Date: 16 May 2005
MSDS Revision: 02

Page 2(5)

Date created: 12/07/02

3. Hazards identification

General	: When undiluted and not properly handled, can be irritating to the skin and eyes and upon inhalation. Combustible material that can sustain a fire. : R51/53, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Environment	: When spilled, can contaminate soil, ground and surface water.

4. First-aid measures

Inhalation	: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure	: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin exposure	: Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.
Ingestion	: Rinse mouth with water and obtain medical attention.
Others	: Take Risk and Safety phrases (section 15) into consideration.

5. Fire-fighting measures

Extinguishing media	: Carbon dioxide, dry chemical, foam. Do not use a direct water-jet on burning material.
---------------------	---

6. Accidental release measures

Personal precautions	: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Spillage	: Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillage should be contained immediately by use of sand or inert powder and disposed of according to local regulations.
Environmental precautions	: Keep away from drains, surface and ground water, and soil.

MATERIAL SAFETY DATA SHEET

VERBENA 91
Date: 16 May 2005
MSDS Revision: 02

Page 3(5)

Date created: 12/07/02

7. Handling and storage

Handling	: Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.
Storage	: Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original containers. Avoid plastic and uncoated metal containers. Keep air contact to a minimum.
Fire protection	: Keep away from ignition sources and naked flame.

8. Exposure controls/personal protection

Respiratory protection	: Avoid excessive inhalation of concentrated vapours.
Eye protection	: Wear safety glasses.
Skin protection	: Avoid skin contact. Use chemically resistant gloves as needed.

9. Physical and chemical properties

Appearance	: Not determined.
Odour	: Not determined.
Flash point	: Not determined.
Oxidising property	: None expected.

10. Stability and reactivity

Reactivity	: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidising agents.
Decomposition	: Carbon monoxide and unidentified organic compounds may be formed during combustion.

11.Toxicological information

Based on the ingredients in this composition and their concentrations, this product is according to the conventional method of EEC directive 1999/45/EC classified as:

Irritating to the skin.

May cause sensitisation by skin contact.

MATERIAL SAFETY DATA SHEET

VERBENA 91

Page 4(5)

Date: 16 May 2005

MSDS Revision: 02

Date created: 12/07/02

12.Ecological information

General : This material is unlikely to accumulate in the environment and environmental problems under normal use conditions are unexpected.

13.Disposal considerations

Dispose of according to local regulations.
Avoid disposing into drainage systems and into the environment.

14.Transport information

	Class	Pack group	Sub risk	UN no	IMDG page
Road (CDGRR)	: not restricted.				
Air (IATA)	: not restricted.				
Sea (IMDG)	: not restricted.				

15.Regulatory information

Classification Packaging / Labelling (Directive 1999/45/EC)

Hazard symbol : Xn, Harmful.
: N, Dangerous for the environment.

Contains Citronellol, ORANGE TERPENES.

Risk phrases : R38, Irritating to the skin.
: R43, May cause sensitisation by skin contact.
: R65, Harmful: May cause lung damage if swallowed.
: R51/53, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases : S24, Avoid contact with the skin.
: S37, Wear suitable gloves.
: S61, Avoid release to the environment. Refer to special instructions/safety data sheet.
: S62, If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

MATERIAL SAFETY DATA SHEET

VERBENA 91

Page 5(5)

Date: 16 May 2005

MSDS Revision: 02

Date created: 12/07/02

16.Other information

Conc % Limits (*) : XiR38=54.36% XiR43=65.79% XnR65=59.59% NR51/53=15.89%
R52/53=1.59% R53=70.70%

(*) These are the maximum percent concentrations that this material can be used in a non-hazardous product without the indicated risk being applicable to that product.

The shelf life of this product is 12 months from date of manufacture.

The information in this leaflet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

