



## CERTIFICATE OF ANALYSIS

**MATERIAL** :- CETOSTEARYL ALCOHOL T1618

**BATCH NUMBER** :- 1215030704

We certify that a sample of the above mentioned goods has been examined, with the following results:-

ACID VALUE	:-	<0.01	mg KOH/g	
IODINE VALUE	:-	< 0.04	gl/100g	
COLOUR	:-	4	APHA	
SAP. VALUE	:-	0.3	mg KOH/g	
HYDROXYL VALUE	:-	216.6	mg KOH/g	
HYDROCARBONS	:-	< 0.01	(% by wt.)	
MELTING POINT	:-	53.7	°C	
Moisture	:-	0.042	%	
G. L. C.	C 12	:-	nd	%
	C 14	:-	< 0.01	%
	C 16	:-	29.49	%
	C 18	:-	69.91	%
	C 20	:-	<0.01	%

**Date of Manufacture** 07.03.2015

**Review Date** 06.03.2017

Reviewed November 2016 – product satisfactory

**Next Review Date** 06.03.2018

**Site of Manufacture** 10 Soi G 12, Eastern Ind. Est., Rayong 21150, Thailand

*This certificate has been generated electronically and is valid unsigned  
Dr Andrew Coupland*

**Date** :- 5-Sep-17

The Soap Kitchen  
Unit 8 Caddsdwn Industrial Park, Clovelly Road, Bideford,  
Devon EX39 3DX  
Tel: 01237 420872 (+44 (0)1237 420872)  
Email: it@thesoapkitchen.co.uk

