



The Soap Kitchen
Unit 8 Caddsdon Industrial Park, Clovelly Road, Bideford,
Devon, EX39 3DX

Tel: 01237 420872 (+44 (0)1237 420872)
Email: it@thesoapkitchen.co.uk

CERTIFICATE OF ANALYSIS

SODIUM BENZOATE

Part Number: 70074

Batch No.: SO19KC04643-01

Analysis Description	Minimum Value	Maximum Value	Result	Compliance
Appearance			Powder	Pass
Colour			White	Pass
Odour			Odourless	Pass
Assay%	99.9	100	>99.9	Pass
Loss on drying (%)	0.0	1.0	<1	Pass
Acidity mg NaOH/g	0.0	0.4	<0.40	Pass
Alkalinity mg HCl/g	0.0	0.37	<0.37	Pass
Phenol mg/kg	0	2	<2	Pass
Insoluble Matter			Pass	Pass
Taste and Odour			Pass	Pass
Heavy Metals ppm		10	<10	Pass
Iron (ppm)		1	<1	Pass
Mercury (Hg) ppm		0.1	<0.1	Pass
Sulphate (ppm)		50	<50	Pass
Chloride (ppm)		50	<50	Pass
Halogenated Compounds mg/kg		25	<25	Pass
Total Chlorine mg/kg		75	<75	Pass
Turb (10%(m/m)sol water) NTU	0.0	0.5	<0.5	Pass
Oxidiz Substs ml0.02molKMnO4/g	0.0	0.1	<0.10	Pass
Organic volatile impurities			Pass	Pass
Polycyclic Acids			Pass	Pass
Phthalic Acid mg/kg	0	50	<50	Pass

Manufacture Date: Jan 2019

Expiry Date: Jan 2022

Quantity: 25.000 KG

Issue Date: 03/09/19

Shelf life of this product depends very much on storage conditions, particularly temperature and exposure to light and air.

Expiry date must be considered as subjective; the expiry date given here is based on the best of our knowledge and experience of the material when stored under recommended conditions in original unopened containers.

Due to the natural ingredients contained in many of our products, there may be a slight batch to batch variation in the colour, odour or consistency. However, we ensure that this does not affect the quality and efficacy of the products in any way.

We hereby certify that the above material meets the required specification and is released for free sale.

This is a computer-generated document. No signature is required.