



CERTIFICATE OF ANALYSIS

Despatch No. **18513 / 1**
Your Order No **18513**
Date despatched **28 August 2019**

Fax:

Your code Product name Our code
 CAMEL POWDER NC1506 Kg

Batch Units Q/C
4484/1A 1 Passed

Best before DoM
26/04/2020 N/A

Shelf Life extensions
technical altered BBE date from 21/09/2019 to 26/04/2020

Physical	Results	Our Specification
Organoleptic	Pass	Pass
Visual	Pass	Pass
EBC units	50000 colour EBC	47,700 - 53,000
Sieve Mesh 40	100% Pass	> 99 %
Chemical		
pH	4.02	4 - 5
Moisture %	2.43	5

Certificate issued 29/08/2019

Legal Notice

The information given in this publication is based on our current knowledge and experience, and may be used at your discretion, and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations, and observe all third party rights.

Microbiology results supplied are based upon our procedure code PPR 015 which is available upon request. This means that according to the designated level of risk, this batch may have been tested by our accredited Third Party lab, or the results may be based upon calculation and previous random sampling results.

Heavy Metals are tested by the company on a monitoring basis only unless expressly stated.



The Soap Kitchen (2011) Ltd
Unit 8, Caddesdown Industrial Park, Clovelly Road,
Bideford, Devon, EX39 3DX, United Kingdom

Email: enquiries@thesoapkitchen.co.uk
Call: +44 (0) 1237 420 872