

Despatch No. 17435 / 1  
 Your Order No 20/05/19  
 Date despatched 29 May 2019

Fax:

Your code                      Product name                      Our code  
    HONEY POWDER                      FI313150N 1x25 PK002

Batch	Units	Q/C	Best before	DoM
13596	1	Passed	09/05/2020	09/05/2019

Microbiological	Results	Our Specification
APC cfu/g	10	100
E coli cfu/g	0	10
Yeasts cfu/g	<20	10
Moulds cfu/g	<20	10
Enterobacteriaceae cfu/g	0	10
Salmonella	0	ND/25g
Listeria cfu/g	0	

Physical	Results	Our Specification
Organoleptic	Pass	Pass
Visual	Pass	Pass
Sieve Mesh 40	100% Pass	100% Pass

Chemical	Results
Moisture %	<5

Mycotoxins	Results
Ochratoxin A cfu/g	<1
Aflatoxins Total cfu/g	<1
Aflatoxins B1 cfu/g	<1
Aflatoxins B2 cfu/g	<1
Aflatoxins G1 cfu/g	<1
Aflatoxins G2 cfu/g	<1

Heavy Metals	Results
Lead ppm	0.005
Arsenic ppm	<0.005
Mercury ppm	<0.005
Cadmium ppm	<0.001

Compliant to: Commission Regulation (EU) 1334/2008

Heavy Metals Test No. 237524

Mycotoxins Test No. 237607

Certificate issued 29/05/2019

### Legal Notice

The information given in this publication is based on our current knowledge and experience, and may be used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations, and observe all third party rights.

Microbiology results supplied are based upon our procedure code PPR 015 which is available upon request. This means that according to the designated level of risk, this batch may have been tested by our accredited Third Party lab, or the results may be based upon calculation and previous random sampling results.

Heavy Metals are tested by the company on a monitoring basis only unless expressly stated.

Shelf life dates given by Plant-ex are recommended according to studies carried out by the company over time, however they are not a warranty against natural degradation which may occur, particularly with Natural materials. Product strengths will be as stated at the time of delivery, thereafter it is the duty of the customer to store the material appropriately and use the material in a timely manner to avoid any loss in strength.