

# Certificate of Analysis



The Soap Kitchen (2011) Ltd  
Unit 8, Caddsdwn Industrial Park, Clovelly Road,  
Bideford, Devon, EX39 3DX, United Kingdom

Email: enquiries@thesoapkitchen.co.uk  
Call: +44 (0) 1237 420 872

Print Date: 25-NOV-2019 10:11:25 CET  
Page: 1 / 1  
Order No: 10936047 Line: 15  
Shipment: 10054542  
Truck/Rail Car No: CT608LQ  
Customer PO No: 027190

## Material No. & Description:

1050631 LATHANOL LAL COARSE

Specification number:

PA304\_STP Issue: 3 (01-MAR-2004)

Batch/Lot: 0008279279

Date of Manufacture: 07-JUL-2019

Quantity: 28 DR

Certification Date: 11-JUL-2019

Location: ELWOOD, IL US

Recommended Retest Date: 06-JUL-2022

Description		Limits	In Out	Result	Units
110-0	APPEARANCE (@ 25C)	White, Free Flowing Powder, FFM	IN	Passes	
058-0	PH (5% In Water)	5,0 - 7,5	IN	6,2	
022-0	WATER	1,5 Max.	IN	0,6	%
117-D	ACTIVE (%) (EW 345)	65,0 Min.	IN	69,2	%
119-0	SODIUM CHLORIDE	10 - 18	IN	15	%
057-0	SULFUR DIOXIDE (%)	0,05 Max.	IN	0,01	%
234-0	SCREEN TEST: Retained on 20 MESH	5 Max.	IN	1	%
234-0	SCREEN TEST: Through 100 MESH	47,0 Max.	IN	23,4	%
006-E	COLOR KLETT (5% Active in Water)	40 Max.	IN	13	
122-0*	ALCOHOL INSOLUBLES (%)	5 - 18	IN	Complies	
000-0*	COMPONENT SOURCE	Each Drum Visually Inspected	IN	Complies	

\* Indicates component is a compliance test which is tested according to skip-lot testing schedule

**This certificate is electronically generated and is valid without a signature.**

THIS ANALYSIS IS NOT TO BE CONSTRUED AS A WARRANTY, EXPRESSED OR IMPLIED. The preceding data is provided at the request of and for the convenience of the customer and does not relieve the customer of its responsibility to verify data contained on this report and to perform any other analysis necessary to determine suitability of the product described above for the use intended by the customer.

**DEDICATED TO CONTINUOUS IMPROVEMENT THROUGH SQC & SPC**