



The Soap Kitchen

Unit 8 Caddsdawn Industrial Park, Clovelly Road,

Bideford, Devon, EX39 3DX

Tel: 01237 420872 (+44 (0)1237 420872)

Email: info@thesoapkitchen.co.uk

Material Safety Data Sheet

1. IDENTIFICATION OF SUBSTANCE/COMPANY/UNDERTAKING

Product Name: Arnica Oil Infused

Supplier Name: The Soap Kitchen

2. COMPOSITION/INFORMATION ON INGREDIENTS

Definition:	The oil extract obtained from the dried flower heads of Arnica Montana by infusion in a carrier/base oil at a ratio of 1:10
CAS Number:	68990-11-4 & whichever base/carrier oil used
EINECS Number:	273-579-2 & whichever oil used
INCI Name:	Arnica Montana & whichever oil used
Status:	Natural
CoE No:	59
Additives:	None
FDA:	172.510
Application:	skincare products
Country of Origin:	UK

3. HAZARDS IDENTIFICATION

Toxic. Concentrated product. Do not ingest. Observe good housekeeping procedures.

4. FIRST AID MEASURES

Skin contact:	Wash off with soap and water. If irritation persists seek medical Advice.
Eye contact:	Wash and rinse with plenty of water. If Irritation persists seek medical advice.
Ingestion:	Rinse mouth out with water. Seek immediate medical advice.
Inhalation	Remove to fresh air. Obtain medical advice.

5. FIRE FIGHTING EXTINGUISHING MEASURES

Suitable Extinguishers:	Water mist, carbon dioxide, foam or dry powder.
Unsuitable extinguishers:	Water jet.
Protective Clothing:	Fire fighters should wear protective clothing and approved respirator
Hazards:	Avoid inhalation of fumes, temperatures above 50° and direct fire.
Flash point:	86°C

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid inhalation & direct contact with skin & eyes.
Environmental precautions:	Prevent from entering drains, surface and ground waters.
Cleaning:	Remove using absorbents then clean the area with hot water and detergent. Take care as the area may present a slip hazard.

7. HANDLING & STORAGE MEASURES

Handling:	Normal hygiene practices should be employed
Storage:	In a cool dry room avoiding exposure to light and heat. Keep away from possible sources of combustion. Store in tightly sealed containers

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Precautions:	Goggles and gloves should be worn if there is a risk of splashing. Avoid breathing vapours.
--------------	---

9. PHYSICAL & CHEMICAL PROPERTIES

Please refer to separate Specification Sheet.

10. STABILITY AND REACTIVITY

Materials to avoid:	Strong acids, alkali or oxidising materials.
Reactivity:	It presents no significant reactivity hazards by itself or in contact with Water.
Decomposition:	Liable to cause smoke & acrid fumes during combustion: Carbon monoxide, carbon dioxide & other non-identified organic compounds may be formed.

11. TOXICOLOGICAL EFFECT

The pure essential oil is not to be used above 15% in ointments and creams.

Prolonged use often causes edematous dermatitis with the formation of pustules.

Long use can also give rise to eczema. In treatment involving higher concentrations of the drug, primary toxic skin reactions with the formation of

Vesicles or even necroses may occur.

12. ECOLOGICAL INFORMATION

Biodegradability:

Data not available

Precautions:

Prevent surface contamination of soil, ground & surface water.

12. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations.

14. TRANSPORT INFORMATION

Not considered hazardous for transport.

15. REGULATORY INFORMATION

According to directive 88/379/EEC

Hazards:

Toxic

Symbols:

Risk Phrases:

R24/25 Toxic in contact with skin and if swallowed

Safety Phrases:

S24 Avoid contact with skin

S46 If swallowed, seek medical advice immediately, and show the container or label

Cosmetics Directive – 7th Amendment – Not restricted

16. OTHER INFORMATION

Packaging Suitability:

Glass, Aluminium, HPPE, F/HDPE & other plastics

Shelf Life: 2 years maximum. Re-test after 12 months then every 6 months thereafter.

The information contained herein is accurate to the best of our knowledge.

No liability can be accepted arising out of the use, application or processing of this product.

It is the Users responsibility to determine safe conditions for the use of this material.

